

DEVELOPMENT IMPACT FEE STUDY FIRE FACILITIES



FEBRUARY 2023

Prepared by:



Capitol | PFG

2436 Professional Drive, Suite 300

Roseville, CA 95661

(916) 641-2734

www.capitolpfg.com

TABLE OF CONTENTS

SECTION 1: EXECUTIVE SUMMARY	1
SECTION 2: THE MITIGATION FEE ACT	2
PURPOSE OF THE FEE.....	2
USE OF THE FEE	2
BENEFIT RELATIONSHIP.....	3
BURDEN RELATIONSHIP.....	3
PROPORTIONALITY	3
OTHER REQUIREMENTS OF AB 1600	3
SECTION 3: METHODOLOGY FOR IMPACT FEE STUDY	5
FACILITY STANDARDS METHODOLOGY	5
SECTION 4: PREVIOUS STUDIES/CURRENT FEES	7
SECTION 5: CITY DEMOGRAPHIC DATA	8
OTHER DEPARTMENT INFORMATION	8
SECTION 6: EXISTING ASSETS	10
FACILITIES	10
VEHICLES AND CAPITAL EQUIPMENT	10
SECTION 7: ANTICIPATED GROWTH	11
COMMERCIAL/INDUSTRIAL DEVELOPMENT	11
SECTION 8: NECESSARY FACILITIES	12
EXISTING CAPITAL RESOURCES	12
FIRE STATION UPGRADE AND EXPANSION COSTS	12
APPARATUS, VEHICLE & CAPITAL EQUIPMENT COSTS	12
AVAILABLE REVENUE SOURCES	13
TOTAL ESTIMATED COSTS.....	13
SECTION 9: DEVELOPMENT IMPACT FEE CALCULATION	14
IMPACT FEE CALCULATION.....	14
IMPOSING THE FEE ON DIFFERENT TYPES OF PROPERTY TYPES.....	15
SECTION 10: ASSESSING THE FEE	16
SECTION 11: IMPLEMENTATION	17
CITY COUNCIL APPROVAL.....	17
CITY COUNCIL APPROVAL.....	17
FEE ACCOUNTING	17
USE OF THE FEE	17
INFLATION ADJUSTMENT.....	18
REPORTING REQUIREMENTS.....	18

SECTION 1: EXECUTIVE SUMMARY

The City of Yreka's Fire Department (the "City" or "Department") provides fire protection, fire prevention, emergency medical to the City of Yreka in Siskiyou County.

This study is intended to update the development impact fee imposed by the City. This report summarizes an analysis of the need for fire facilities and equipment to accommodate new development within the City's boundaries and documents a reasonable relationship between new development, the fee, and the facilities and capital equipment to be funded.

Yreka has and will continue to experience growth. Consequently, local public works are faced with the challenge of providing service to an expanding customer base with limited resources for upgrading the infrastructure necessary to accommodate such expansion. The City too faces the challenge of providing fire facilities and services to service new development within its boundaries. The impact fees collected because of new construction provides a funding source for the construction of fire facilities and purchase of vehicles and equipment necessary for this purpose.

This report updates the development impact fee based on the current values of all fire equipment and facilities necessary to protect current residents at current service levels. This fee is translated into a per square foot cost that is imposed on any new construction which may occur. Impact fees paid will allow for the City to provide the necessary facilities, vehicles, and equipment necessary to maintain current service levels.

This report supports the adoption of a development impact fee for fire facilities of **\$2.03** per square foot of new construction. This fee follows the Mitigation Fee Act (California Government Code Section 66000 et. seq.), and this report substantiates the findings required by the Act.

Upon the submittal of this report to the City of Yreka, it is incumbent upon the City Council, assisted by staff, to review and evaluate the report for accuracy and agreement with the conclusions presented. Once the City Council is satisfied that the legislative requirements of Government Code Section 66000 et. seq. are met and the fee adjustment recommendations are valid, the City Council shall submit a recommendation regarding the fee adjustments for enactment.

After accepting and considering public input, the City Council shall vote to approve findings and a resolution to set the appropriate fees. If accepted, the fees would be imposed pursuant to the City's development "police powers" under Article XI, section 7, of the California Constitution.

SECTION 2: THE MITIGATION FEE ACT

In 1987, the California Legislature adopted Assembly Bill 1600 which established a uniform process for formulating, adopting, imposing, collecting, accounting for, and protesting impact fees. In order to impose an impact fee, a local agency must go through a process to establish a reasonable relationship between a development project and the public improvement for which the development fee is charged.

The most important part of AB 1600 is the requirement for findings that connect any impact stemming from a development project to the type and amount of the fee imposed or what is commonly referred to as the "Nexus" requirement. Government Code Section 66001 states that after January 1, 1989, in any action "establishing, increasing, or imposing a fee as a condition of approval of a development project," the local agency shall do all of the following:

- 1) Identify the purpose of the fee.
- 2) Identify how the fee is to be used. If the use is for financing public facilities, the facilities shall be identified.
- 3) Determine how a reasonable relationship exists between the fee's use and the type of development project on which the fee is imposed.
- 4) Determine how a reasonable relationship exists between the need for the public facility and the type of development project on which the fee is imposed.
- 5) Determine how there is a reasonable relationship between the amount of the fee and the cost of the public facility or portion of the public facility attributable to the development on which the fee is imposed.

Purpose of the Fee

The purpose of this development impact fee is to ensure that new development within the City pays its proportionate share of the capital investments to be made by the City along with its share of future capital costs, which are necessary to provide fire protection, fire suppression and other fire safety services adequate to accommodate a growing service population. The City is prudent in requiring that new development not burden existing property owners with the cost of public facilities required to accommodate growth. The City can further this objective through the imposition of development impact fees. The purpose of the development impact fee is to implement this policy by providing a funding source from new development for capital improvements to serve that development. The fee helps to ensure that the level of service is maintained as new development offsets the increased costs of providing service as growth occurs.

Use of the Fee

The development impact fee will fund new construction of fire stations, apparatus, vehicles, and capital equipment needed to serve new development. All facilities and capital equipment will be located within the boundaries of the City. As detailed in the following sections of this report, these facilities include:

- ◆ land for new fire stations
- ◆ fire station construction or expansion

- ◆ fire apparatus acquisition
- ◆ vehicle acquisition
- ◆ capital equipment acquisition
- ◆ financing costs associated with the above listed capital expenditures

This report provides the cost estimates for projected facility needs.

Benefit Relationship

The City will restrict fee revenues to the acquisition of land, construction/reconstruction/expansion of buildings, and purchase of apparatus, vehicles and capital equipment, and related financing costs to serve new development. Fire facilities and capital equipment funded by the fee will further the City-wide network of services accessible to the additional residences and businesses associated with new development. Thus, there is a reasonable relationship between the use of fee revenues and the residential and non-residential types of new development that will pay the fee.

Burden Relationship

The purpose of assessing an impact fee is to provide the capital resources necessary to sustain a constant level of service for fire protection, emergency medical response, rescue and extrication, containment and mitigation of hazardous materials exposure, and other life safety services that is required of a growing service population. Based on the Department's historical experience in responding to calls for service among the varying types of development in its boundaries, it is appropriate to assess the on fee on a uniform basis in order to share the costs on a pro rata basis among existing and new development. Thus, there is a reasonable relationship between the use of the fee and the type of development served by the capital resources funded by the fee.

Proportionality

The reasonable proportionality relationship can be established by identifying the facility costs attributable to future development, then establishing fee rates that allocate those costs in proportion to the demands created by each type of development project. The fee apportions costs between the existing population and new development in a manner proportional to their contribution of the need for that facility. Further, fees are imposed based on building size as measured by habitable and enclosed square feet of each building. Thus, larger buildings that have a greater demand for fire service and related capital facilities and equipment pay a proportionately higher fee than smaller buildings.

Other Requirements of AB 1600

In addition to the Nexus requirements, AB 1600 also outlines the accounting for future revenue received through imposition of impact fees on new construction projects. AB 1600 requires that upon receipt of a fee, the local agency deposit into a separate capital facilities account or fund, in a manner to avoid any commingling of the fees with other revenues and funds of the agency, and expend the fees solely for the purpose for which the fee was collected. Interest gained on the capital facilities accounts or funds shall be separated, accounted, and expended in the same manner.

The agency Board shall make findings once each fiscal year with respect to any portion of the fee remaining unexpended or uncommitted in its account five or more years after the deposit

of the fee. The finding shall identify the purpose to which the fee is to be put and to demonstrate a reasonable relationship between the fee and the purpose for which it was charged.

The agency shall refund to the current record owner(s) of the project, on a prorated basis, the unexpended or uncommitted portion of the fee, with interest, for which the required findings cannot be made. Upon certain circumstances, with appropriately noticed hearings, the legislation allows alternative actions.

The agency shall annually adopt and update, by resolution at a publicly noticed hearing, any capital improvement plan defined in this legislation.

SECTION 3: METHODOLOGY FOR IMPACT FEE STUDY

Development impact fees are calculated to fund the capital needs that are a direct result of growth due to new development. In order to fund the improvements needed due to growth occurring within the City, it is necessary to determine what the appropriate fee should be. There are four basic steps followed in the calculation of any development impact fee, these include:

1. Prepare growth projections;
2. Identify facility standards;
3. Determine the amount and cost of facilities required to accommodate new development based on facility standards and growth projections;
4. Calculate the public facilities fee by allocating the total cost of facilities per unit of development (on a square foot basis).

Facility Standards Methodology

One important issue in development impact fee studies is the identification of facility standards. Facility standards determine new development's total need for new facilities and each development unit's fair share of those needs. Standards also ensure that new development does not fund deficiencies associated with existing development.

The City will determine the size and location of fire stations, vehicles, and equipment necessary to ensure they will be sufficient to accommodate the personnel needed to serve the amount of new development anticipated. This study uses the City's existing inventory of facilities, vehicles, and equipment combined with planned facilities needed to accommodate future development as the City's facilities standard. The City's existing inventory of facilities, vehicles, and equipment serve the entire City and will serve future development. Further, additional facilities, vehicles, and equipment will be needed to serve the anticipated future service population because of new development.

The City currently provides fire and emergency response services to a large response area. Given the City's size and protection facilities, vehicles, and equipment available at any one time, it is understandable that new construction will only exacerbate the protection challenges of the City. Given such facts, the City has determined that current service levels will be used as a benchmark and that new construction will not adversely affect these service levels.

To mitigate new construction's impact on the City's service capabilities, new development must be required to pay development impact fees. Assuming that the current levels of service being provided to the City's residents are to be considered the standard, any additional construction within the City's boundaries which requires fire or emergency response services, will pay an impact fee that is proportionate to such service. Given the existing demands placed on the City, existing stations, vehicles, and equipment should not be utilized to accommodate new construction at the expense of existing service levels. To offset the impact, the development impact fees will be used to construct or purchase new facilities, vehicles, and equipment necessary to accommodate such growth.

The City's inventory of existing and planned fire facilities was used as part of the basis for calculating the City's facility standard. This standard is used to determine new development's fair share obligation for expanded facilities as growth occurs. The City's existing fire protection

facilities described in this Report currently serve the entire City. The facility standard utilized in this study will specifically benefit any new development that will occur within the City as it will fund the expansion of facilities at the same standard currently serving existing development.

The City has the flexibility to alter the list of necessary facilities shown in this report as conditions change. If the overall cost of facilities necessary to mitigate the anticipated residential and commercial growth is altered significantly then the City should update this fee program to incorporate those changes.

SECTION 4: PREVIOUS STUDIES/CURRENT FEES

The City's previous development impact fee study was prepared in October 2006. Based upon the analysis performed by the City of Yreka, the development impact fees for fire facilities was determined to be \$35 per dwelling unit equivalent.


Capitol Public Finance Group, LLC was contracted by the City of Yreka to provide this updated Development Impact Fee Study. This study is intended to establish the legal and policy basis for the calculation and imposition of impact fees on all new development within the City. The study will analyze the impact of recent and future construction on the needs of the Yreka Fire Department, evaluate the existing mitigation program that was adopted in October 2006, and consider the changes that have occurred in the development community since the study was completed.

Ultimately, this study will demonstrate the need for an adjustment to the development impact fee due to the increasing amount of development within the City's boundaries and the rapidly increasing cost of building public facilities.

SECTION 5: CITY DEMOGRAPHIC DATA

The Yreka Fire Department serves the City of Yreka in Siskiyou County, a map of the City of Yreka's boundaries is shown in **Figure 1** below.

FIGURE 1




The Department was originally established in 1856 as the Siskiyou Hook & Ladder Company, in 1924 it was reorganized into the Yreka Fire Department and is responsible for the protection of a variety of geographical areas, ranging from residential neighborhoods, commercial and industrial buildings, rural areas, as well as a portion of Interstate 5. The City covers 10.1 square miles and serves a population of approximately 7,500 people.

Other Department Information

The Department provides a full range of services, including fire prevention, fire suppression, and emergency medical response in addition to a variety of other miscellaneous requests. The Department has a Benefit Association and a Career Fire Chief. The Benefit Association and Fire Chief are responsible for policy development; discipline, and approving equipment purchases and other expenditures. The Department is composed of 27 volunteers.

The Department responded to 5,168 service calls from 2020 through 2022. Rescue and EMS calls amounted to 78% of the service calls, as shown in the **Chart 1**. On average the Department had approximately 1,723 service calls per year over the past three years.

CHART 1
Over the Past 3 Years the District Received 5,168 Service Calls



Source: City of Yreka

SECTION 6: EXISTING ASSETS

Facilities

The Department currently operates out of one fire station located at 401 West Miner Street, Yreka CA. The station is 13,130 square feet and was originally constructed in 1915 and renovated in 2003 and has a replacement value of \$2,518,900.

Vehicles and Capital Equipment

The Department's equipment inventory is shown in **Table 1** and **Table 2** shows the Department's current apparatus and vehicles.

Table 1

Equipment Inventory and Estimated Value	
Description	Estimated Value
Holmatro Cordless Rescue Tool Set	\$40,396
JYD Z-Struts/Stabilizers	\$7,726
Holmatro Corded Rescue Hydraulic Tool Set	\$15,000
Total	\$63,122

Source: City of Yreka

TABLE 2

Yreka Fire Department Apparatus and Vehicle Inventory		
Apparatus Type	Year	Replacement Value
Ford - F250 4x4 Super Duty Supercal	2006	\$23,957
Seagrave - Marauder II Aerial Quint	2008	\$635,264
Ford - Brush Truck	2012	\$208,550
Ford - F150 Crew Cab	2014	\$30,869
Seagrave - Marauder II Pumper	2014	\$589,043
Ford - F250 4x4 Rescue Truck	2018	\$57,254
Pierce - Wildland Pumper	2019	\$389,099
Pierce - Freightliner Water Tender	2021	\$412,203
Total		\$2,346,239

Source: City of Yreka

SECTION 7: ANTICIPATED GROWTH

The City of Yreka has and continues to experience growth given the relative affordability of land and homes and proximity to major urban centers. According to the City of Yreka's Housing Element Update, the City expects to have an additional 250 residential units constructed within its boundaries over the next 7 years. To estimate the square footage of the new residential development, the average square footage of current single family residential units within the City was determined using ParcelQuest and then applied to the estimated number of residential units expected to be built, shown in **Table 3**.

TABLE 3

Estimated Residential Development Square Footage		
Total Estimated # of Units	Average Current Residential Square Footage	Estimated Square Footage
250	1,461	365,250

Source: City of Yreka

Commercial/Industrial Development

As residential construction continues within the boundaries of the District, an inherent demand for commercial facilities is created. Currently there is one commercial project planned for construction within the City, the Yreka Travel Center and Hotel. This project has a total square footage of 29,336.

As the demand for fire suppression and emergency response increases due to new construction, the capabilities and overall quality of protection services and personnel provided, degrades proportionally. The only plausible mitigation from the City's perspective is the addition of facilities, equipment, and personnel to provide existing service levels to any new construction which may occur. This is accomplished through the modernization and upgrade of existing facilities, or the construction of entirely new facilities. This will serve to support timely response and maintain adequate supplies of apparatus and equipment so that the District may maintain its current service levels while accommodating any new growth.

As residential construction continues, an inherent demand for commercial facilities may also be created. As these developments may significantly affect the District's service requirements, the District must consider these properties when planning and assessing its ability to maintain high levels of service to existing residents and as well these new properties that will be added to its service population.

SECTION 8: NECESSARY FACILITIES

Existing Capital Resources

As previously detailed in Section 6, and summarized in **Table 4**, the District has invested approximately \$4,928,261 million into its capital assets.

TABLE 4

Capital Asset Summary	
Type of Asset	Total Insured Value
Fire Stations	\$2,518,900
Apparatus and Vehicles	\$2,346,239
Other Assets	\$63,122
Total	\$4,928,261

Fire Station Upgrade and Expansion Costs

In order to serve future new development within the City, one additional fire station will be needed. The location of the new fire station has yet to be determined. The City has estimated that a new fire station will cost approximately \$12.5 million.

Apparatus, Vehicle & Capital Equipment Costs

As the Department's existing fleet ages, new apparatus and equipment will need to be purchased to both meet the demands of the existing service population and offset the increased demand and meet District standards. The City has projected that it will require acquisition of the apparatus, vehicles, and equipment shown in **Table 5**.

TABLE 5

Apparatus, Vehicle and Equipment Needs	
Type	Estimated Cost
Apparatus and Vehicles	
Type 6 Brush Engine	\$300,000
Rescue Pumper	\$750,000
Aerial Quint Pumper	\$850,000
Total Apparatus and Vehicle Estimated Costs	\$1,900,000
Equipment	
RIMS Software	\$185,767
Total Equipment Estimated Costs	\$185,767
Total Apparatus, Vehicle and Equipment Needs Estimated Costs	\$2,085,767

Source: City of Yreka

Available Revenue Sources

The City intends to commit all available developer fee funds to the projects. As of November 2022, the City had approximately \$1,130,229 in fees available to commit to facilities projects. The City has also received a CDBG grant of \$250,000 for a new fire station. In November 2006 the City passed Measure H approving a special property-based assessment to be used for the purchase of fire capital equipment. As of February 2023, Measure H has a balance of \$1,200,399. Approximately \$2.5 million is available for projects, as shown in **Table 6** below.

TABLE 6

Available Revenue Sources	
Type of Revenue	Total Revenue Available
Development Fee Balance	\$1,130,229
CDBG Grant	\$250,000
Measure H	\$1,200,399
Total Available Revenue	\$2,580,628

Source: City of Yreka

Total Estimated Costs

Adding together the current capital assets with the cost of improvements to the existing stations and new apparatus, results in the total estimated capital impact from new development in the City, as shown in **Table 7**.

TABLE 7

Combined Total Capital Assets and Future Costs	
Type of Asset	Total Estimated Value/Costs
Current Capital Assets	\$4,928,261
Future Improvement Costs	\$14,585,767
Total Estimated Costs	\$19,514,028
Less Available Revenue	\$2,580,628
Net Total Estimated Capital Impact	\$16,933,400

Source: City of Yreka

The City is currently utilizing all available Mitigation and General Fund revenues to fund existing expenditures and will not have sufficient funds to offset the cost of future capital needs.

SECTION 9: DEVELOPMENT IMPACT FEE CALCULATION

To properly express the impact of new construction on the service quality and capabilities of the City, the City's impact fee will be justified by taking the total value of assets of the City and dividing the value across all assessable square footage within the City boundaries. Then, the average size of units within the City will be applied to the per unit value to determine a per square foot value.

Impact Fee Calculation

To calculate the amount of the development impact fee necessary on a per square foot basis, for all properties within the City's boundaries, we will identify the cost to provide facilities and equipment to new construction at existing levels. To accomplish this goal, we must first identify the total number of structures within the City. Although the City covers a wide ranging service area, including open land and large forest areas, the impact fee calculated will include solely on structures with assessable square footage.

As described in Section 7, the estimated square footage of development to be constructed is 394,586. Using ParcelQuest it was determined that there is currently 8,105,478 total square footage of building space within the City. As shown in **Table 8**, the City expects to have approximately 8.5 million square feet of building space within its boundaries.

TABLE 8

Estimated Current and Future Development by Square Footage	
	Square Footage
Current Structures	8,105,478
Anticipated New Construction	394,586
Total Square Footage	8,500,064

To calculate the amount of the development impact fee necessary, on a per square foot basis, we first identify the unfunded facilities cost of \$16,933,400, as stated in Section 8. We then determine the total square footage of residential, commercial, and industrial construction within the City, which is 8,500,064 square feet. Finally, we divide the total facilities cost (\$16,933,400) by the total square footage of building space within the City (8,500,064 square feet).

TABLE 9

Impact Fee Calculation	
Total Estimated Costs	\$16,933,400
Future Service Square Footage	8,500,064
Cost per Square Foot	\$1.99

Therefore, as shown in **Table 9**, the City can justify a development impact fee for fire facilities of **\$1.99** per square foot of new construction.

Imposing the Fee on Different Types of Property Types

The City serves non-residential parcels with the same capital equipment as residential parcels, based on the relative size of the development, with a more equipment intense response for larger buildings. For all calls that the City responds to, the Type 1 engine is the first to respond, with the exception of wildfire/vegetation calls, when the Type 3 engine is first. The type of property does not impact the apparatus or equipment that is used for response. As such, the same fee is applied to all new construction, regardless of the use of the property. Imposing the impact fee on a per square foot basis provides for proportionate funding based on the size of the building and the resulting fire response.

As stated above, the City can justify a development impact fee for fire facilities of \$1.99 per square foot of new construction. In addition to the cost of fire facilities and equipment necessary to serve new development, there is an administrative cost to the City to justify, impose and collect development impact fees. The administrative cost is estimated to be 2% of the fee. As such, approximately \$0.04 is added to the fee to cover the cost of administering the fee program bringing the total fee up to **\$2.03** per square foot of new construction.

SECTION 10: ASSESSING THE FEE

The fee is a uniform fee that will be applicable to new construction, including residential, commercial, office, and industrial building space as well as to additions to existing buildings which requires the issuance of a permit or approval from the City of Yreka.

Future large or specialized commercial/industrial development may require special considerations and should be judged on a project-by-project basis. Commercial and industrial development should be reevaluated during the routine review of impact fees for fire and hazmat response data to support the different fee structure. An in lieu mitigation agreement may be needed in order to adequately collect mitigation fees from commercial and/or industrial development with unique considerations.

Residential categories other than single-family dwellings, are differentiated by their size as the fee is assessed on a per square foot basis. These fees are recommended to include the square footage of all classes of covered structures constructed within the City. A covered structure is defined as a roof assembly, as the same is described within the Uniform Building Code.

SECTION 11: IMPLEMENTATION

If the City Administration and Department Executive Board concurs with and chooses to increase the fee as provided for in this study, the following process should be followed for fee implementation.

City Council Approval

The City Council should adopt a resolution to adopt this fee pursuant to the City's "police powers" under Article XI, section 7 of the California Constitution.

City Council Approval

The City Council should adopt the proposed fee schedule in compliance with California Government Code section 66016 through 66018. The City should:

- ◆ 30 days before the City Council approves the fee, the City must post a notice of public hearing on their website and where notices are physically posted;
- ◆ Send a notice of a public hearing at least 14 days prior to the hearing to any party that has submitted a written request for such a notice. Have this report and all supporting documentation available for review by the public at least 10 days prior to the hearing. Publish notice of the public hearing in a newspaper of general circulation at least 10 days prior to the scheduled hearing, with a second notice published at least 5 days after the first hearing notice. The notice should include the time and place of the meeting as well as a general explanation of the matter to be considered;
- ◆ Hold the public hearing to consider adoption of the development impact fee;
- ◆ Adopt an implementing ordinance to establish the City's authority to impose the proposed fee and automatically adjust the fee annually for inflation, and adopt a resolution or ordinance to set the fee;
- ◆ Begin collecting the fee no sooner than 60 days following adoption of the ordinance and resolution.

Fee Accounting

The City should deposit all fee revenues into a restricted public facility fee account. Interest earned on fund balances should be credited to the fund.

Use of the Fee

The City should only use fee revenues for capital expenditures that expand the Department ability to deliver fire services to accommodate new development. Use of the fee in this manner documents a reasonable relationship between new development and the use of fee revenue. The City may alter the scope of the capital expenditures or substitute new capital projects as long as the project continues to represent an expansion of the Department's capabilities. If the total cost of all capital expenditures varies from the total cost used as a basis for the fee, the City should revise the fee accordingly.

Inflation Adjustment

The City should adjust the fee annually for inflation in the cost of the capital expenditures to be funded by the fee. A construction cost index should be based on a reputable and easily identifiable source such as the *Engineering News Record*. Any inflationary adjustment must first be authorized in the enacting resolution or ordinance approved by the City.

Reporting Requirements

The City should comply with the annual and five-year reporting requirements of Government Code section 66000 et. seq. Annually, the City must identify the fee revenues received and for what purposes they were expended.